

PRICE LIST

EFFECTIVE January 1, 2025



HEAVY DUTY FOODWASTE DISPOSERS

MASTER DISPOSERS

165 Independence Court, Lancaster, PA 17601

800-237-6628 x1 Fax: 937-332-2852

www.masterdisposers.com

QUALITY IS OUR PRIORITY

TABLE OF CONTENTS

Warranty	2
Terms of Sale	3
Disposer Lineup, Sizing and Slection, How to order	4
Disposers by Series	5
Controls, Ooptions, Accessories	8


WARRANTY

THE MASTER EXCLUSIVE ONE AND TEN YEAR WARRANTY ON F, C & B SERIES ONLY
Product Confidence Unequalled in the Disposer Industry

All products (and parts) manufactured and sold by MASTER DISPOSERS (the "Manufacturer") are warranted to be free from defects in material and workmanship for a period of one year following the date of its initial installation or eighteen months from the date of shipment from the factory or factory warehouse, whichever expires first. Notice of a claim under this Warranty must be received by the Manufacturer at its offices before the expiration of such period in order for Warranty coverage of PARTS AND LABOR to apply.

If notice of a claim is timely made, the Manufacturer will repair or replace the product or part which is defective either at the user's facility or at the Manufacturer's plant, as the Manufacturer shall decide. In addition, the Manufacturer warrants that the basic body components of every Master Disposer will remain serviceable for a period of at least TEN YEARS. Should any of these basic body components require replacement during the first ten years of normal usage following installation the Manufacturer will furnish new duplicate parts to the original user at no charge. Manufacturer cannot warrant products returned to the factory not properly packaged, causing additional damage.

This Warranty shall not apply to the extent that products or parts have been used other than in conformance with operating and maintenance instructions, subjected to misuse or abuse or damage by accident, act of God, abnormal use or stress or any other matter unrelated to the Manufacturer, and beyond its reasonable control or otherwise altered or modified by third parties. In addition, this Warranty does not cover normal wear items, such as sizing rings, impact bars and rotors. THIS WARRANTY IS EXCLUSIVE AND IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED AND IMPLIED, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR PURPOSE. In no event shall the for the Manufacturer be liable for loss of use, revenue or profit or for indirect or consequential damages.

**STANDARD ONE YEAR WARRANTY**

All MASTER disposer components show above in BLOCK print are guaranteed against all defects for the initial ONE YEAR period of use, as stated in the Warranty.

MASTER TEN YEAR WARRANTY

All Master basic body components show above in italicized print are guaranteed to remain serviceable for at least TEN YEARS, as stated in the Warranty.

Master Disposers is not responsible for any typographical errors.

Due to continued product improvement, specifications are subject to change without notice

TERMS OF SALE

1. NATURE OF DOCUMENT. This document constitutes the acceptance of the Master Disposers Division of Somat Company ("Seller") to sell the products specified on the reverse side (the "Products") on the terms and conditions contained herein, however, acceptance is made expressly conditional on the Buyer's agreement to all of the terms and conditions contained herein. Seller's acceptance of a purchase order from the Buyer shall not constitute acceptance of any of the terms and conditions thereon which differ from these terms, except as the Seller may otherwise specify in writing.

2. TERMINATION AND CANCELLATION. Seller shall have the right to terminate and cancel the contract for sale of the Products at any time Seller determines that Buyer's credit is not satisfactory. Any such termination or cancellation shall be effective upon notification (orally or in writing) to Buyer and shall be without liability to the Seller. Under no circumstances shall Buyer have the right to terminate the contract or cancel its order to purchase the Products, without written authorization by the Seller. All cancelled orders and returned goods will be subject to a minimum of 25% cancellation and/or restocking charge. Custom or modified units cannot be returned.

3. PRICES. Unless otherwise indicated, prices are F.O.B. Lancaster, PA and do not include any sales, use, excise or similar taxes or duties now or hereafter imposed. Errors or omissions in prices are subject to correction.

4. PAYMENT. Unless otherwise indicated, payment terms are net cash 30 days from date of shipment. In the event that the Buyer fails to make payment on time, Buyer shall be liable to Seller for the lesser of (a) 1.5% per month on the remaining balance or (b) the highest monthly interest rate which may lawfully be charged to Buyer. Buyer shall be liable for all expenses (including reasonable attorneys' fees) incurred by Seller in collecting or attempting to collect any amounts due to Seller under the contract.

5. TITLE; RISK OF LOSS. Title to, and risk of loss of, the Products shall pass to Buyer upon the delivery of the Products F.O.B. Lancaster, PA to an agent of Buyer or to a common carrier.

6. INSPECTION. If, upon receipt of the Products by Buyer at the destination, the same shall appear not to conform to the order, Buyer shall within seven (7) days after receipt thereof, notify Seller of such condition and afford Seller a reasonable opportunity to inspect the Products and make the appropriate adjustments, repair or replacement. The remedies afforded under Section 7 below shall be exclusive for any defects discovered in the Products and which could have been discovered upon inspection. If the Seller is not so notified, the Buyer waives any recourse for those defects, and all warranty obligations of Seller regarding such obvious defects or deficiencies shall terminate.

7. LIMITED WARRANTIES AND REMEDIES. Seller warrants that, at the time of shipment, the Products will be free from defects in material and workmanship for a period of one year from the date of purchase by the initial user. Written notice of a claim under this warranty must be received by Seller before the expiration of such period in order for warranty coverage to apply.

If notice of a claim is timely made, Seller will repair or replace the Product or part which is defective (at Seller's sole option) either at the user's facility or at Seller's plant, as Seller shall decide. If Seller decides that a Product or part should be returned to its plant, the Buyer or user shall have the following obligations:

- (a) removal of any parts to be returned;
- (b) identification of all parts with tags stating the model number and serial number of the Products on which the part is used;
- (c) shipment of Products and/or parts, transportation prepaid, to Seller's plant;
- (d) installation of the repaired or replaced Product or parts at user's facility.

This Warranty shall not apply to the extent that Products or parts have been used other than in conformance with operating or maintenance instructions, subjected to misuse or abuse, damaged by accident, act of God, abnormal use or stress or any other matter unrelated to Seller and beyond its reasonable control or altered or modified by third parties.

THIS WARRANTY IS EXCLUSIVE AND IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTY OF MERCHANTABILITY AND FITNESS FOR PURPOSE. IN NO EVENT SHALL THE COMPANY BE LIABLE FOR LOSS OF USE, REVENUE OR PROFIT OR FOR ANY OTHER INCIDENTAL, SPECIAL OR CONSEQUENTIAL DAMAGE INVOLVING THE PRODUCTS.

8. LIMITATION OF LIABILITY. The liability of Seller arising out of the manufacture, sale, delivery, repair, or use of any of the Products shall not, in any event, exceed the cost of correcting defects or making replacement as required in the Limited Warranty and, upon the expiration of the Limited Warranty, all liability of Seller to Buyer shall terminate.

9. DELAYS. Neither party shall be liable for any delay or failure to perform any obligation to the other if such delay or failure shall be caused by an event or contingency beyond its reasonable control, irrespective of the nature thereof, however, the delaying party shall endeavor to correct such delay as soon as reasonably practicable.

10. MODIFICATION; ASSIGNMENT; APPLICABLE LAW; ENTIRE AGREEMENT. No modification of the terms and conditions specified in the contract shall be binding upon Seller unless agreed to by Seller in writing. The contract shall not be assigned by Buyer, nor may any of the duties of Buyer thereunder be delegated, without the written consent of Seller. Any such assignment or delegation without such consent shall be void. The contract shall be governed by, and construed in accordance with, the laws of the State of Pennsylvania. The provisions of the contract shall constitute the entire agreement of the parties with respect to the sale of the Products by Seller to Buyer and shall supersede all prior discussion and writings between the parties.




11. BINDING EFFECT OF CONTRACT. The contract shall be binding upon, and shall inure to the benefit of, the parties hereto and their respective successors and assigns.

12. RETURNS. No returns will be accepted without the prior approval of the Seller. A Return Authorization Number must be given by Seller prior to Products being shipped, freight prepaid, by Buyer. Any damage in transit to Products being returned is Buyer's responsibility. All accepted returns are subject to a 25% or \$25.00 minimum restocking charge. Returns that have been approved by Seller must be received within thirty (30) days after approval. Returns will not be considered after ninety (90) days from date of original notice.

13. INDEMNITY. Buyer agrees to indemnify, hold harmless and defend Seller from and against any and all liabilities and expenses arising out of any injury or damage which results from Buyer's use, misuse, misapplication, failure to inspect, maintain or repair the Products which are the subject of this agreement.

14. MINIMUM ORDER. \$75.00 net.

DISPOSER LINE-UP

			
	"F" SERIES	"C" SERIES	"B" SERIES
Disposing Rate (Lbs./Hr.)	300	900	1,500
Rotor Diameter (Inches)	6	8	10½
Horsepower Sizes	½, ¾, 1¼	1½, 2, 3, 5	3, 5
Throat Opening (Inches)	4½	8¼	8¼
Offset Throat Models	NO	YES	YES

SIZING / SELECTION CHART

<i>Use This Chart to Determine the Correct Disposer for Your Needs</i>	RECOMMENDED APPLICATION							
	Churches Caterers Private Clubs Convenience Stores Bed & Breakfast Inns Airport Snack Bars Salad Sinks		Schools Health Clubs Small Kitchens Vegetable Prep. Areas Nursing Care Facilities Salad Prep. Areas Pot Sinks		Cafeterias Hospitals Universities Steak Houses Ship's Galleys Central Shipping Areas Pre-Rinse Sinks		Hotels Supermarkets Commissaries Cruise Ships Large Restaurants Resort Banquet Halls Central Dishwashers	
	RECOMMENDED SERIES AND HORSEPOWER							
MEALS PER HOUR	SERIES	HP	SERIES	HP	SERIES	HP	SERIES	HP
75	F	½	F	¼	—	—	—	—
150	F	¾	F	¼	—	—	—	—
300	F	¾	F	1¼	C	1½	—	—
500	F	1¼	F	1¼	C	1½	—	—
900	—	—	C	1½	C	3	B	3
1,500	—	—	C	2	C	5	B	5
2,000	—	—	C	3	B	3	B	5
2,800	—	—	—	—	B	5	—	—
3,500	—	—	—	—	—	—	—	—
4,400	—	—	—	—	—	—	—	—
6,000	—	—	—	—	—	—	—	—

HOW TO ORDER


Step 1: Choose Basic Disposer model number.

Step 2: Choose Mounting Assembly Option (Sink or Cone).

Step 3: Choose Switch or Control Center from page 8 or 9.

EXAMPLE:


F114S-L Basic Disposer	\$2874
D-SK4 Mounting Assembly	\$ 753
MS-1 Switch	<u>\$ 655</u>
Total Cost	\$ 4282

"F" SERIES – 6" ROTOR**FREIGHT CLASS 65****Includes:**

- 6 Mounting Bolts
- Splash Guard Gasket
- Phases, Voltages and Hertz 1 Phase: 115/230V, 60Hz
3 Phase: 208-230/460V, 60Hz

MODEL NO.	DESCRIPTION	SHIP WT. LBS.	LIST PRICE
F12-L	½ HP, 3 Phase, 4½" Throat Size	55	\$2,127.00
F12S-L	½ HP, 1 Phase, 4½" Throat Size	55	\$2,127.00
F34-L	¼ HP, 3 Phase, 4½" Throat Size	55	\$2,468.00
F34S-L	¼ HP, 1 Phase, 4½" Throat Size	55	\$2,468.00
F114-L	1¼ HP, 3 Phase, 4½" Throat Size	60	\$2,971.00
F114S-L	1¼ HP, 1 Phase, 4½" Throat Size	60	\$2,971.00
	<ul style="list-style-type: none"> • 1 Phase 115/230V, 60Hz or 110/220V, 50Hz • 3 Phase 208-230/460V, 60Hz or 190-220/380-440V, 50Hz 		

FOR NEW INSTALLATION: For complete assembly in a new installation, Mounting Assembly, Switch or Control Center must be added to the Basic Disposer. Sink or Cone Assembly choices are listed below and Switch or Control Center choices are listed on pages 8 and 9.


"F" SERIES – 6" ROTOR, ASSEMBLY OPTIONS**FREIGHT CLASS 65****SINK ASSEMBLY**

For regular sink attachment. Suspend from standard sink having a 3½" to 4" diameter sink opening.

Includes:

- Mounting Head and Gaskets
- Sink Stopper
- 3 GPM Flow Control Valve
- ½" Vacuum Breaker

MODEL NO.	DESCRIPTION	SHIP WT. LBS.	LIST PRICE
D-SK4	Sink Assembly	8	\$778.00

"C" SERIES – 8" ROTOR**FREIGHT CLASS 65****Includes:**

- 8/4" x 9" long Flexible Neoprone Connector Sleeve
- 2 Stainless Steel Clamps
- Phases, Voltages and Hertz 1 Phase: 115/230V, 60Hz
3 Phase: 208-230/460V, 60Hz

MODEL NO.	DESCRIPTION	SHIP WT. LBS.	LIST PRICE
C112-L	1½ HP, 3 Phase, Specify 8/4" Throat Size	117	\$4,584.00
C112S-L	1½ HP, 1 Phase, Specify 8/4" Throat Size	120	\$4,584.00
C2-L	2 HP, 3 Phase, Specify 8/4" Throat Size	130	\$4,905.00
C2S-L	2 HP, 1 Phase, Specify 8/4" Throat Size	132	\$4,905.00
C3-L	3 HP, 3 Phase, Specify 8/4" Throat Size	158	\$5,229.00
C5-L	5 HP, 3 Phase, Specify 8/4" Throat Size	47	\$6,557.00
C Series: -L can be replaced by -O	OFFSET DESIGN: For Offset Drum Option (8/4" Throat Size) replace -L with -O at end of model number. <i>Add</i>	25	\$961.00

FOR NEW INSTALLATION: For complete assembly in a new installation, Mounting Assembly, Switch or Control Center must be added to the Basic Disposer. Sink or Cone Assembly choices are listed below and Switch or Control Center choices are listed on pages 8 and 9.

"C" SERIES – 8" ROTOR, ASSEMBLY OPTIONS**FREIGHT CLASS 65****SINK ASSEMBLY**

Scrapping Ring
Sink Adaptor



Solenoid
Valve

Flow Control
Valve

Vacuum
Breaker

For regular sink attachment. Adjustable leg support.


Includes:

- Stainless Steel Sink Adaptor Ring
- Vinyl Silver Trap Scrapping Ring
- 8 GPM Flow Control Valve
- ½" Vacuum Breaker
- Water Swirl Inlet

MODEL NO.	DESCRIPTION	SHIP WT. LBS.	LIST PRICE
C-SK8	Sink Assembly for 8/4" Diameter Throat Size	5	\$793.00

CONE ASSEMBLY

Inlet Valve
Scrapping Ring
Stainless Steel Cone
Gasket



Solenoid
Valve

Flow Control
Valve


Vacuum
Breaker

For regular cone attachment. Adjustable leg support.

Includes:

- Stainless Steel Cone (choice of 12" or 18")
- Water Swirl Inlet Valve
- Vinyl Silver Saver Scrapping Ring
- 8 GPM Flow Control Valve
- ½" Vacuum Breaker

MODEL NO.	DESCRIPTION	SHIP WT. LBS.	LIST PRICE
	For 8/4" Throat Size:		
C-BC12	12" Cone Assembly	18	\$1,147.00
C-BC18	18" Cone Assembly	18	\$1,147.00

"B" SERIES – 10 $\frac{3}{8}$ " ROTOR**FREIGHT CLASS 65****Includes:**

- 8 $\frac{1}{4}$ " dia. x 9" long Flexible Neoprone Connector Sleeve
- 2 Stainless Steel Clamps
- All 8 $\frac{1}{4}$ " Diameter Throat Size
- Phases, Voltages and Hertz 208-230/460V, 60Hz 190/380V, 50Hz

MODEL NO.	DESCRIPTION	SHIP WT. LBS.	LIST PRICE
B3-L	3 HP, 3 Phase Specify 8 $\frac{1}{4}$ " Throat Size	210	\$7,551.00
B5-L	5 HP, 3 Phase Specify 8 $\frac{1}{4}$ " Throat Size	220	\$8,173.00
B series-L can be replaced by -O	OFFSET DESIGN: For Offset Drum Option replace -L with -O at end of model number. <i>Add</i>	35	\$612.00

FOR NEW INSTALLATION: For complete assembly in a new installation, Mounting Assembly, Switch or Control Center must be added to the Basic Disposer. Sink or Cone Assembly choices are listed below and Switch or Control Center choices are listed on pages 8 and 9.

"B" SERIES – 10 $\frac{3}{8}$ " ROTOR, ASSEMBLY OPTIONS**FREIGHT CLASS 65****SINK ASSEMBLY**

Scrapping Ring
Sink Adaptor



Solenoid
Valve



Flow Control
Valve



Vacuum
Breaker

For regular sink attachment. Adjustable leg support.

Includes:


- Stainless Steel Sink Adaptor Ring
- Vinyl Silver Trap Scrapping Ring
- 3 GPM Flow Control Valve
- 10 GPM Flow Control Valves
- $\frac{1}{2}$ " Vacuum Breaker*
- Water Swirl Inlet

* For $\frac{1}{4}$ " option, see page 9.

MODEL NO.	DESCRIPTION	SHIP WT. LBS.	LIST PRICE
AB-SK8	Sink Assembly	6	\$982.00

CONE ASSEMBLY

Inlet Valve
Scrapping Ring
Stainless Steel Cone
Gasket



Solenoid
Valve



Flow Control
Valve



Vacuum
Breaker


For regular cone attachment. Adjustable leg support.

Includes:

- Stainless Steel Cone (choice of 12", 15" or 18")
- Water Swirl Inlet Valve
- Vinyl Silver Saver Scrapping Ring
- 3 GPM Flow Control Valve
- 10 GPM Flow Control Valves
- $\frac{1}{2}$ " Vacuum Breaker*


* For $\frac{1}{4}$ " option, see page 9.

MODEL NO.	DESCRIPTION	SHIP WT. LBS.	LIST PRICE
AB-BC18	18" Cone Assembly	18	\$1,290.00

CONTROLS: NEMA 4 WATERTIGHT**ON-OFF SWITCHES – Non-Reversing****Manual Contact**



- 1/2" Solenoid Valve (specify voltage)*
Specify HP, Voltage and Phase when ordering

MODEL NO.	DESCRIPTION	SHIP WT. LBS.	LIST PRICE
MS-1	½ to 2 HP Range, 1 Phase	4	\$677.00
MS-2	½ to 2 HP Range, 3 Phase	4	\$677.00
	MAGNETIC CONTACTOR:		

ON-OFF SWITCHES – Manual Reversing**Drum Switch**

- 1/2" Solenoid Valve (specify voltage)*
Specify HP, Voltage and Phase when ordering

MODEL NO.	DESCRIPTION	SHIP WT. LBS.	LIST PRICE
	DRUM SWITCH:		
RMS-2	½ to 1½ HP, 115 Volts, 1 Phase ½ to 2 HP, 230 Volts, 1 Phase ½ to 2 HP, 208-230/460 Volts, 3 Phase	3	\$1,560.00
RMS-5	2 HP, 115 Volts, 1 Phase 5 HP, 208-230/460 Volts, 3 Phase	7	\$2,302.00

CONTROL PANELS**RAC1 Control Center
Automatic Reversing****RAC2 Control Center
Automatic Reversing**

- NEMA4X Watertight Fiberglass Enclosure
- Reversing Magnetic Contactor
- Low Voltage Solid State Control Circuit
- Series "F", "C" & "B" Series have thermal protector on motor
- Terminal Connection for 24 Volt Solenoid Valve
- RAC1 – Start-Stop Buttons on Front Door
- RAC2 – Illuminated Start-Stop Buttons on Front Door
- RAC2 – Emergency Disconnect Switch
- Time Delay 2 Minute Clean Out Cycle
- 1/2" Solenoid Valve (specify voltage)*
Specify HP, Voltage and Phase when ordering


MODEL NO.	DESCRIPTION	SHIP WT. LBS.	LIST PRICE
RAC1-BE	½ to 5 HP Range for "F", "C" & "B" Series Disposers (without overload relay) (and -KP, -SH, -SL)	20	\$2,306.00
RAC2-BE	½ to 5 HP Range for "F", "C" & "B" Series Disposers (without overload relay) (and -KP, -SH, -SL)	20	\$3,233.00
EM	Conserves water and electricity usage by limiting disposer run time to a preset interval. Specify 5 to 15 minutes. <i>Included for RAC1 and RAC2 series controls only.</i>	–	No Charge

REMOTE START-STOP SWITCH

RS Remote Start-Stop Switch

- For RAC1 and RAC2 Control Centers

MODEL NO.	DESCRIPTION	SHIP WT. LBS.	LIST PRICE
RS	Remote NEMA4X Watertight Start-Stop Switch: Allows panel to be located at a distance away while Start-Stop Switch can be mounted near disposer. Includes remote circuitry in panel and NEMA4X watertight remote switch.	4	\$593.00

WATERFLOW COMPONENTS: Included with every Master Disposers Mounting Assembly

Solenoid Valve



Vacuum Breaker







Water Flow
Control Valve

MODEL NO.	DESCRIPTION	SHIP WT. LBS.	LIST PRICE
SOLENOID VALVE (Specify Coil Voltage when ordering)			
05-5-154	½" Pipe Size, 24 Volt Coil (Must be used with RAC1 and RAC2)	2	\$338.00
05-5-152	½" Pipe Size, 120 Volt Coil	2	\$338.00
05-5-155	½" Pipe Size, 208 Volt Coil	2	\$338.00
05-5-151	½" Pipe Size, 240 Volt Coil	2	\$338.00
05-5-153	½" Pipe Size, 480 Volt Coil	2	\$338.00
05-5-154H	¾" Pipe Size, 24 Volt Coil (Must be used with RAC1 and RAC2)	2	\$444.00
VACUUM BREAKER			
10-5-201	½" Pipe Size	2	\$164.00
10-5-202	¾" Pipe Size	2	\$218.00
WATER FLOW CONTROL VALVE			
10-H-303	½" Pipe Size, 3 GPM	2	\$150.00
10-AB-308	¾" Pipe Size, 8 GPM	2	\$198.00
10-C-310	¾" Pipe Size, 10 GPM	2	\$209.00

DISPOSER OPTIONS

DESCRIPTION		LIST PRICE
CORRECTIONAL FACILITY OPTION "CP"		
CORRPACK-DISP	Disposer Correctional Package, tamper proof fasteners, locking hasp & disposer throat restrictor plate	— \$533.00

DISPOSER ACCESSORIES

MODEL NO.	DESCRIPTION	SHIP WT. LBS.	LIST PRICE
VINYL SILVER TRAP SCRAPPING RING			
		<ul style="list-style-type: none"> • Reduces Silverware Loss • Reduces Disposer Backsplash 	
H-391	8 1/4" Neoprene Silver Saver	3	\$268.00
NEOPRENE CONNECTOR SLEEVE			
		<ul style="list-style-type: none"> • Provides a Dampening Shock-Absorbing Disposer Connection 	
G-554	8 1/4" x 9" Sleeve	3	\$165.00
STAINLESS STEEL CLAMPS			
		<ul style="list-style-type: none"> • Securely Fastens Neoprene Connector Sleeve to both Disposer and Cone/Sink • Features Quick Disconnect Design 	
A-3000	Clamp – Stainless Steel	1	\$51.00
SINK ADAPTOR			
		<ul style="list-style-type: none"> • Provides a 1" All-Around Lip for Welding to Sink • Spun Stainless Steel 	
H-394	8 1/4" Sink Adaptor	2	\$203.00
WATER SWIRL INLET VALVE			
		<ul style="list-style-type: none"> • Chrome Plated • Fixed Elbow Design Provides Water Swirl for Waste Feeding 	
10-5-701	1/2" Tubing Size	1	\$116.00
CONE COVER			
		<ul style="list-style-type: none"> • Allows Waste Sorting • Further Reduces Splashback and Increases Work Area 	
30-5-218	Fits 18" Cone	5	\$270.00



MASTER DISPOSERS

165 Independence Court, Lancaster, PA 17601
800-237-6628 ext. 1 • Fax: 937-332-2852

www.masterdisposers.com